



Greenhouse Cover



Type SUNTHERM 303 WHITE 25% / C 768



Film usage	Greenhouse cover
Width	Up to 15 meters
Thickness	150 micron
Length	As required

		Test method	Units	Values
Tensile strength at break	MD	ASTM D-882	MPa	22
	TD		MPa	22.5
Elongation at break	MD		%	550
	TD		%	700
Tear resistance	MD	ASTM D-1922	Gr./mm	8000
	TD		Gr./mm	12000
Falling dart drop impact		ASTM D-1709	Gram	750
Light transmission in PAR	%	ASTM D-1003		75
Thermicity	%	Internal "FT-IR"		75
			Typical values	

